

# GO-GO<sup>®</sup> FOLDING SCOOTER

4-WHEEL SCOOTER

THE **ULTIMATE**  
COMPACT, **FOLDABLE**  
TRAVEL **SCOOTER**

Ready for transport and easily folded, the 4-wheel **Go-Go<sup>®</sup> Folding Scooter** is perfect for the active lifestyle. Offering great performance indoors and out at a maximum speed of 4 mph and a range per charge of up to 12.5 miles, the Go-Go Folding Scooter provides a comfortable and convenient ride. It is super portable and is a great space saver that adjusts to fit perfectly inside any closet, corner, or vehicle trunk. The Go-Go Folding Scooter is sleek, stylish, and extremely easy to operate, making it the perfect travel mobility scooter choice.



Scooter Folded



Easy to Transport



PRIDE<sup>®</sup> **MOBILITY SCOOTERS**  
LIVE YOUR BEST<sup>®</sup>

[www.pridemobility.com](http://www.pridemobility.com)

# SPECIFICATIONS

## GO-GO® FOLDING SCOOTER 4W: S19

Weight capacity:	250 lbs.
Maximum speed <sup>1</sup> :	Up to 4 mph
Ground clearance <sup>2</sup> :	2.3"
Turning radius <sup>2</sup> :	32"
Overall length <sup>2</sup> :	37"
Overall width <sup>2</sup> :	19"
Drive wheels <sup>2</sup> :	2" x 8" solid
Front wheels <sup>2</sup> :	1.6" x 7" solid
Range per charge <sup>1,4</sup> :	Up to 12.5 miles (Li-Polymer); Up to 9.3 miles (gel cell)
Total weight without batteries <sup>5</sup> :	51.4 lbs.
Heaviest piece when disassembled:	51.4 lbs. (unit does not disassemble - unit weight without battery pack)
Standard seating:	Type: Foldable, compact, vinyl-covered molded plastic Material: Gray Vinyl Dimensions: 16" x 13"
Battery requirements <sup>5</sup> :	(2) 12-volt, deep cycle or (1) 24-volt (Li-Polymer) Size: (2) 12 AH (gel cell) or (1) 11.5 AH (Li-Polymer) Weight <sup>3</sup> : 12 AH gel cell - 9 lbs. each (2 required), 11.5 AH Li-Polymer - 5 lbs. each (1 required)
Battery charger:	2.5-amp, off-board (gel cell) or 4-amp, off-board (Li-Polymer)

Color:



White

- <sup>1</sup> Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition and tire condition. These specifications can be subject to a variance of (+/- 10%).
- <sup>2</sup> Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of (+ or - 3%).
- <sup>3</sup> AGM or gel cell type required.
- <sup>4</sup> Tested in accordance with ANSI/RESNA, WC Vol2, section 4 & ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance test conducted at maximum weight capacity.
- <sup>5</sup> Battery weight may vary based on manufacturer.

All specifications provided by Heartway® Medical Products.  
Product distributed by Pride Mobility®.



NOTE: All specifications subject to change without notice.  
The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or - 3%. Dimensions listed are for power base only. Overall measurements will vary based on seating and accessory selections.

## FEATURES

- Unique folding design
- Folds in just three easy steps
- Adjustable tiller
- Up to 12.5 miles range per charge
- Easy to transport at home, hotels, or airports
- Can be stowed upright or laid down
- Articulated front end adds greater stability
- Front and rear LED lights

TO FOLD:

TO UNFOLD:



Note: Transport of this item on commercial aircraft is subject to federal regulations and airline policy. Please consult your airline prior to your flight to ensure your Go-Go® Folding Scooter and its lithium-ion batteries are permitted.

**Pride**  
Mobility Products Corp.  
— LIVE YOUR BEST! —

PRIDE® MOBILITY SCOOTERS  
LIVE YOUR BEST®

(US) 800-800-8586 • (Canada) 888-570-1113  
[www.pridemobility.com](http://www.pridemobility.com)